This document has been updated to reflect changes that will be effective on Thursday, September 16.



Premier Health



Schedule a COVID-19 or Flu Test

Premier Health and CompuNet Clinical Laboratories offer screening (nasopharyngeal) testing at several locations throughout Southwest Ohio.

A physician's order is required at all locations.

Patients must schedule an appointment at ALL testing locations, except the OnMain location.

Which Testing Sites can patients go to?

Patients may go to any of the testing locations of their choice, as long as they schedule an appointment online with the exception of OnMain.

Testing is available for patients who are:

- Symptomatic: Currently have symptoms of COVID-19
- Symptomatic: Currently have symptoms of the Flu
- Is your patient preparing for a surgery or procedure? Please see *page 4* to determine if they require a COVID-19 test prior to their surgery or procedure.

This document has been updated to reflect changes that will be effective on Thursday, September 16.

By Appointment Only

Physician's Order Required



Schedule a visit: PremierHealth.com/CovidTesting or CompuNetLab.com

For the 7 testing locations listed below, they MUST SCHEDULE an appointment online. If they arrive without an appointment, they will be redirected to the OnMain location or asked to schedule an appointment online at one of the other testing locations. If they experience an issue scheduling online using Internet Explorer, try a different browser like Chrome, Edge, or Firefox.

For CompuNet locations: Patients should remain in their car and call for COVID, Flu, or RSV testing when they arrive.



Atrium Medical Center: Drive-through location

One Medical Center Dr. Middletown, OH 45005 Monday through Friday, 9 a.m. - 5 p.m. Saturday and Sunday, 9 a.m. - 12 noon

Fax: (937) 341-8493 (provider use only)

Upper Valley Medical Center: Drive-through location

3130 N. County Rd. 25A Troy, OH 45373 Monday through Friday, 9 a.m. - 5 p.m. Saturday and Sunday, 9 a.m. - 12 noon

Fax: (937) 341-8496 (provider use only)



CompuNet Montgomery

11135 Montgomery Rd., Suite 200 Montgomery (Cincinnati area) Cincinnati, OH 45249 Monday, Wednesday, Thursday, 1 - 5 p.m. Tuesday and Friday, 3 - 5 p.m.

(No change in hours at this location)

CompuNet Springfield

2355 Derr Rd., Springfield, OH 45503 Monday - Friday, 1 - 4:50 p.m.

CompuNet West Chester

7743 Tylersville Rd. - Ste E West Chester, OH 45069 Monday - Friday, 8 a.m. - 5 p.m. (closed for lunch 12 - 1 p.m.) (No change in hours at this location)

CompuNet Beavercreek

2400 Lakeview Dr. - Ste 110 Beavercreek, OH 45431 Monday, Tuesday, Wednesday, Friday, 7:30 a.m. – 3:50 p.m. Thursday, 7:30 a.m. – 11:40 a.m. Saturday, 7:30 a.m. – 11:10 a.m.

CompuNet Otterbein

580 North State Route 741 Lebanon, OH 45036 Monday - Friday, 7:30 a.m. - 4:30 p.m. (closed for lunch 12:30 - 1:30 p.m.)

Provider office administration and schedulers only: If you have questions, please call CompuNet Client Services at (937) 297-8260 or your CompuNet account representative.



Physician's Order Required


No Appointment Needed

8

OnMain (formerly Montgomery County Fairgrounds): Drive-through location Across from Miami Valley Hospital's main campus 1229 South Main St. Dayton, OH 45409 Monday - Friday, 9 a.m. - 1 p.m.

Fax: (937) 223-9580 (provider use only)





Guidance for Screening COVID-19 Tests for Perioperative and Admitted Patients

I. Outpatient and Inpatient Perioperative Testing

- A. COVID test required for all procedures unless a positive test was obtained in the 180 days prior.
- B. For patients with a positive test, unless contraindicated due to need, the following guidelines can be used to reschedule the procedure:
 - 1. For asymptomatic patients or those mild to moderate illness, medically necessary procedures may be scheduled at least 10 days after onset of symptoms (or positive test), provided patient is clinically improved and afebrile for at least 24 hours.
 - 2. For immunocompromised patients or those with severe illness, medically necessary procedures may be scheduled 20 days after onset of symptoms, provided the patient is clinically improved AND afebrile for at least 24 hours.
 - 3. For patients undergoing procedures without a medical necessity, strong consideration should be given to delaying the procedure for 7 weeks.