

# Premier Orthopedic Spine Center

Atrium Medical Center Professional Buliding 200 Medical Center Dr., Ste. 375 Middletown, Ohio 45005

Date

# **Neck Questionnaire**

Da	т:	~		1
Pa	ТΙ	ρ	n	Т
iu	L.	$\sim$		. <b>L</b>

Family Physician

#### The onset of my neck pain has been:

- Acute
- □ Suddenly
- □ Suddenly, following an incident, not at work
- □ Suddenly following an incident at work
- □ Suddenly following no specific incident
- Gradual
- Gradually, over time
- Gradual following no specific incident.
- □ Gradual following an incident at work
- Gradually improving
- Gradually worsening

#### I have had my pain for the last

- Days\_\_\_\_\_
- Weeks\_\_\_\_\_
- Months\_\_\_\_\_
- □ Years\_\_\_\_\_

#### The pattern of my pain has been:

- □ Increasing
- Decreasing
- **D** Episodic
- Recurrent

## The pattern of my pain:

- □ Comes and goes
- □ Is present all the time
- □ Is present all the time with flare-ups
- □ Increases with activity
- □ Is related to the level of activity
- □ Is unrelated to the level of activity
- □ Is unrelated to the level of activity

# My neck pain can be characterized as an:

- Dull aching
- Burning sensation
- □ Catching
- □ Cramping
- Discomfort
- Electrical
- 🛛 Pain
- □ Needles and pins
- Numbness
- D Piercing
- □ Sharp stabbing
- □ Shooting
- Tightness
- Tingling

# The severity of my pain can be described as:

- □ Mild in severity
- □ Mild to moderate in severity
- □ Moderate in severity
- Moderate to severe
- Severe

# My pain usually occurs:

- At rest
- All the time
- Both day and night
- □ In the daytime
- On arising in the morning
- Occurs more in the early morning
- Only during the day

- □ More toward the evening
- □ With normal activities
- On exertion
- Only during exertion
- □ When lying down
- □ When walking
- □ More at night
- Only at night
- □ At night

## Neck pain versus arm pain is:

- □ Arms hurt much more than the neck
- □ Arms hurt somewhat more than the neck
- □ Arms and neck hurt about the same
- □ Neck hurts somewhat more than the arm
- Neck hurts much more than the arm

# The pain usually starts in the:

- Occiput
- □ Midline of neck
- Mid back
- □ Right lateral neck
- □ Left lateral neck
- lacksquare In the neck
- □ Left side of the neck
- □ Right side of the neck
- Neck and throat

# The pain radiates into my:

- □ Right shoulder
- □ Left shoulder
- Both shoulders
- □ Right shoulder blade
- □ Left shoulder blade
- Both shoulder blades
- □ Right upper arm
- □ Left upper arm
- □ Both upper arms
- □ Right forearm
- Left forearm

- Both forearms
- □ Right thumb and index finger
- □ Left thumb and index finger
- □ Right long finger
- □ Left long finger
- □ Right ring and little finger
- □ Left ring and little finger

#### Arm numbness (If the answer to this question if no, skip the next question)

- □ There is no arm numbness
- There is arm numbness

#### The location of the arm numbness is:

- □ Right shoulder
- □ Left shoulder
- □ Right upper arm
- □ Left upper arm
- □ Right forearm
- □ Left forearm
- □ Right thumb and index finger
- □ Left thumb and index finger
- □ Left long finger
- □ Right long finger
- □ Right ring and little finger
- □ Left ring and little finger

#### Arm weakness: (if the answer to this question is no, skip the next question)

- □ There is no arm weakness
- □ There is arm weakness

#### The location of my arm weakness is:

- □ Right shoulder
- □ Left shoulder
- □ Right upper arm
- Left upper arm
- □ Right forearm
- □ Left forearm
- □ Right wrist
- □ Left wrist
- Right hand
- Left hand

My neck pain was originally caused by:

- □ Nothing
- Aging
- 🛛 Trauma
- Automobile accident
- □ Motorcycle accident
- Boating accident
- Falling
- □ Sports activities
- Exercise
- Exertion

# My pain is aggravated by:

- Nothing
- Sneezing
- Coughing
- Twisting
- □ Lifting
- Desition of arm
- □ Bending to the right
- Bending to the left
- □ Rotating to the right
- Rotating to the left
- □ Flexion
- Extension

# My pain is relieved by:

- Nothing
- Bed rest
- □ Change in position
- Exercise
- Medication
- 🛛 Heat
- 🛛 Ice
- Physical therapy
- □ Holding arm above head
- □ Popping of the neck
- Massage
- Oral steroids
- Pain medication
- □ Anti-inflammatory medication
- □ Facet injections

#### My pain interferes with the following:

- □ Nothing about my lifestyle
- Personal grooming
- Driving
- □ Bathing
- $\hfill\square$  Work severely
- □ Work moderately
- $\hfill \square$  Work minimally
- Work not at all
- Cooking
- □ Childcare
- □ Intercourse never
- □ Intercourse occasionally
- □ Intercourse frequently
- □ Sweeping
- □ Gardening
- □ Vacuuming
- □ Leisure activities
- □ Leisure activities not at all
- □ Sleep severely
- □ Sleep moderately
- □ Sleep minimally
- □ Sleep not at all

#### Associated with my pain, are the following conditions:

- □ Arthritis of peripheral joints
- Chills
- Neck stiffness
- □ Gait abnormality
- □ Catching
- □ Bladder dysfunction
- Dysuria
- □ Fever
- Shoulder pain
- □ Incontinence of urine
- □ Incontinence of stool
- □ Arm weakness
- Paresthesias in arms
- 🛛 Trauma
- Use of corticosteroids
- □ Use of anticoagulants
- □ History of malignancy

#### Previous diagnostic test:

- None
- Plain radiographs
- MRI Neck
- □ MRI right shoulder
- □ MRI left shoulder
- CT
- □ CT/Myelogram
- Bone Scan
- □ EMG/PNCV's
- DexaScan

## I have previously been evaluated by:

- None
- □ Orthopaedic surgeon
- □ Neurosurgeon
- Neurologist
- □ Primary care physician
- □ Rheumatologist
- Physiatrist
- □ Chiropractor
- □ Emergency room
- □ Urgent care center
- Pain management
- Pyschologist/psychiatrist

#### I have had the following physical therapy:

- None
- □ Stretching exercises
- □ Strengthening exercises
- □ Active range of motion exercises
- □ Active assisted range of motion exercises
- □ Passive range of motion exercises
- □ Home exercise program
- TENS unit
- Ultrasound
- Phonophoresis
- □ Iontophoresis
- Massage
- □ Whirlpool
- Heat
- 🛛 Ice
- Traction

#### I have had the following neck surgeries:

- None
- □ Cervical discectomy
- Cervical fusion
- □ Anterior cervical plating
- □ Posterior cervical decompression
- D Posterior cervical laminaplasty
- □ Posterior spinal decompression
- Posterior spinal fixation
- Posterior spinal fusion
- □ Cervical total disc replacement
- □ Cervical corpectomy
- □ Anterior cervical diskectomy and fusion

## I use the following assistive devices:

- None
- Cervical collar
- 🛛 Miami J collar
- Philadelphia collar

#### Because of my neck I have the following issues:

- None
- □ Pending social security disability application
- □ Worker's compensation claim
- Pending litigation
- □ Previous worker's compensation claim
- Pending lawsuit
- □ Pending worker's compensation claim
- □ Social security
- Divorce
- □ Child support